



## EC DECLARATION OF CONFORMITY (DEKLARACIJA O USAGLAŠENOSTI)

No/Br. EC03.01.01/16

<b>We/Mi</b>	Metalka Majur, Vihorska 9, 35000 Jagodina, Srbija
<b>declare under our sole responsibility that the product</b> / <i>izjavljujemo pod sopstvenom odgovornošću da je proizvod</i>	<b>Cord extension sets</b> / <i>Prenosne priključnice (Produžni savitljivi kablovi)</i>
<b>production program</b> / <i>proizvodnog programa</i>	<b>(reference the attached of catalog number, name and other characteristics</b> / <i>brojevi artikala, nazivi, tipovi i druge karakteristike su date u prilogu)</i>
<b>standards applied</b> / <i>u skladu sa sledećim standardima i normativnim dokumentima</i>	IEC 60884-1: 2013 EN 61058-1: 2002 EN 60228:2005 ГОСТ Р 51322.1:99 SRPS IEC 60884-1: 2012 SRPS EN 61058-1: 2010 SRPS EN 60228:2009
<b>Directives</b> / <i>Pravilnici</i>	2006/95/EC Low Voltage Directive
<b>Certificates</b> / <i>Potvrde o usaglašenosti</i>	POCC RS.AB99. A01138
<b>Notified body</b> / <i>Imenovano telo</i>	АГЕНСТВО КАЧЕСТВА, г.Москва
<b>The last two digits of the year in which the CE marking was affixed</b> / <i>Poslednje dve cifre godine u kojoj je stavljen znak usaglašenosti</i>	12
<b>Place and date of issue</b> / <i>Mesto i datum izdavanja deklaracije</i>	Jagodina, 06.05.2016
 	<b>Signature:</b>  Name: Dona Stevanović Position: Quality control manager

**Attached / Prilog:**

Art No	Name / Naziv	Characteristics / Karakteristike
01.27.60	Portable socket-outlet with three outlets and flexible cable 1,5m, without switch <i>Trostruka prenosna priključnica sa kablom 1,5m, bez prekidača</i>	Max 3500W, IP20 Sockets: P+E, 16A/250V~ Plug: non-rewirable, 2P+E, 16A/250V~ Cable: H05VV-3G1,5mm <sup>2</sup> , lenght:1,5m  <i>Priključnica: 2P+E, 16A/250V~ Utikač: nerastavni, 2P+E, 16A/250V~ Kabl: H05VV-3G1,5mm<sup>2</sup>, dužina: 1,5m</i>
01.28.60	Portable socket-outlet with three outlets and flexible cable 1,5m, with switch <i>Trostruka prenosna priključnica sa kablom 1,5m, sa prekidačem</i>	Max 3500W, IP20 Sockets: 2P+E, 16A/250V~, Switch: 16(6)A/250V~ Plug: non-rewirable, 2P+E, 16A/250V~ Cable: H05VV-3G1,5mm <sup>2</sup> , lenght:1,5m  <i>Priključnica: 2P+E, 16A/250V~ Prekidač: 16(6)A/250V~ Utikač: nerastavni, 2P+E, 16A/250V~ Kabl: H05VV-3G1,5mm<sup>2</sup>, dužina: 1,5m</i>
01.27.20	Portable socket-outlet with three outlets and flexible cable 3m, without switch <i>Trostruka prenosna priključnica sa kablom 3m, bez prekidača</i>	Max 3500W, IP20 Sockets: 2P+E, 16A/250V~, Plug: non-rewirable, 2P+E, 16A/250V~ Cable: H05VV-3G1,5mm <sup>2</sup> , lenght:3m  <i>Priključnica: 2P+E, 16A/250V~ Utikač: nerastavni, 2P+E, 16A/250V~ Kabl: H05VV-3G1,5mm<sup>2</sup>, dužina: 3m</i>
01.28.20	Portable socket-outlet with three outlets and flexible cable 3m, with switch <i>Trostruka prenosna priključnica sa kablom 3m, sa prekidačem</i>	Max 3500W, IP20 Sockets: 2P+E, 16A/250V~, Switch: 16(6)A/250V~ Plug: non-rewirable, 2P+E, 16A/250V~ Cable: H05VV-3G1,5mm <sup>2</sup> , lenght:3m  <i>Priključnica: 2P+E, 16A/250V~ Prekidač: 16(6)A/250V~ Utikač: nerastavni, 2P+E, 16A/250V~ Kabl: H05VV-3G1,5mm<sup>2</sup>, dužina: 3m</i>
01.27.30	Portable socket-outlet with three outlets and flexible cable 5m, without switch <i>Trostruka prenosna priključnica sa kablom 5m, bez prekidača</i>	Max 3500W, IP20 Sockets: 2P+E, 16A/250V~, Plug: non-rewirable, 2P+E, 16A/250V~ Cable: H05VV-3G1,5mm <sup>2</sup> , lenght: 5m  <i>Priključnica: 2P+E, 16A/250V~ Utikač: nerastavni, 2P+E, 16A/250V~ Kabl: H05VV-3G1,5mm<sup>2</sup>, dužina: 5m</i>
01.28.30	Portable socket-outlet with three outlets and flexible cable 5m, with switch <i>Trostruka prenosna priključnica sa kablom 5m, sa prekidačem</i>	Max 3500W, IP20 Sockets: 2P+E, 16A/250V~, Switch: 16(6)A/250V~ Plug: non-rewirable, 2P+E, 16A/250V~ Cable: H05VV-3G1,5mm <sup>2</sup> , lenght:5m  <i>Priključnica: 2P+E, 16A/250V~</i>

		<i>Prekidač: 16(6)A/250V~  Utikač: nerastavnii, 2P+E, 16A/250V~  Kabl: H05VV-3G1,5mm<sup>2</sup>, dužina: 5m</i>
01.52.60	Portable socket-outlet with six outlets and flexible cable 1,5m, without switch  <i>Šestostruka prenosna priključnica sa kablom 1,5m, bez prekidača</i>	Max 3500W, IP20 Sockets: 2P+E, 16A/250V~ Plug: non-rewirable, 2P+E, 16A/250V~ Cable: H05VV-3G1,5mm <sup>2</sup> , lenght: 1,5m  <i>Priključnica: 2P+E, 16A/250V~  Utikač: nerastavni, 2P+E, 16A/250V~  Kabl: H05VV-3G1,5mm<sup>2</sup>, dužina: 1,5m</i>
01.53.60	Portable socket-outlet with six outlets and flexible cable 1,5m, with switch  <i>Šestostruka prenosna priključnica sa kablom 1,5m, sa prekidačem</i>	max 3500W, IP20 Sockets: 2P+E, 16A/250V~, Switch: 16(6)A/250V~ Plug: non-rewirable, 2P+E, 16A/250V~ Cable: H05VV-3G1,5mm <sup>2</sup> , lenght: 1,5m  <i>Priključnica: 2P+E, 16A/250V~  Prekidač: 16(6)A/250V~  Utikač: nerastavnii, 2P+E, 16A/250V~  Kabl: H05VV-3G1,5mm<sup>2</sup>, dužina: 1,5m</i>
01.52.20	Portable socket-outlet with six outlets and flexible cable 3m, without switch  <i>Šestostruka prenosna priključnica sa kablom 3m, bez prekidača</i>	Max 3500W, IP20 Sockets: 2P+E, 16A/250V~, Plug: non-rewirable, 2P+E, 16A/250V~ Cable: H05VV-3G1,5mm <sup>2</sup> , lenght: 3m  <i>Priključnica: 2P+E, 16A/250V~  Utikač: nerastavni, 2P+E, 16A/250V~  Kabl: H05VV-3G1,5mm<sup>2</sup>, dužina: 3m</i>
01.53.20	Portable socket-outlet with six outlets and flexible cable 3m, with switch  <i>Šestostruka prenosna priključnica sa kablom 3m, sa prekidačem</i>	max 3500W, IP20 Sockets: 2P+E, 16A/250V~, Switch: 16(6)A/250V~ Plug: non-rewirable, 2P+E, 16A/250V~ Cable: H05VV-3G1,5mm <sup>2</sup> , lenght: 3m  <i>Priključnica: 2P+E, 16A/250V~  Prekidač: 16(6)A/250V~  Utikač: nerastavnii, 2P+E, 16A/250V~  Kabl: H05VV-3G1,5mm<sup>2</sup>, dužina: 3m</i>
01.52.30	Portable socket-outlet with six outlets and flexible cable 5m, without switch  <i>Šestostruka prenosna priključnica sa kablom 5m, bez prekidača</i>	Max 3500W, IP20 Sockets: 2P+E, 16A/250V~, Plug: non-rewirable, 2P+E, 16A/250V~ Cable: H05VV-3G1,5mm <sup>2</sup> , lenght: 5m  <i>Priključnica: 2P+E, 16A/250V~  Utikač: nerastavni, 2P+E, 16A/250V~  Kabl: H05VV-3G1,5mm<sup>2</sup>, dužina: 5m</i>
01.53.30	Portable socket-outlet with six outlets and flexible cable 5m, with switch  <i>Šestostruka prenosna priključnica sa kablom 5m, sa prekidačem</i>	Max 3500W, IP20 Sockets: 2P+E, 16A/250V~, Switch: 16(6)A/250V~ Plug: non-rewirable, 2P+E, 16A/250V~ Cable: H05VV-3G1,5mm <sup>2</sup> , lenght: 5m

		<i>Priključnica: 2P+E, 16A/250V~ Prekidač: 16(6)A/250V~ Utikač: nerastavni, 2P+E, 16A/250V~ Kabl: H05VV-3G1,5mm<sup>2</sup>, dužina: 5m</i>
--	--	---